



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal 6500 0600**

Revision date: 19.04.2018

Product code: 65000600

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

SYMPROfluid universal 6500 0600

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Special denture cleaner for use in a denture cleaning appliance with needles.

#### Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Renfert GmbH  
Street: Untere Giesswiesen 2  
Place: D-78247 Hilzingen  
Telephone: +49 7731 8208-0  
e-mail: info@renfert.com  
Internet: www.renfert.com

Telefax: +49 7731 8208-70

#### Supplier

Company name: Ivoclar Vivadent Pty. Ltd.  
Street: 1-5 Overseas Drive  
Place: Noble Park North VIC 317  
Telephone: + 61 3 9795 95

Telefax: + 61 3 9795 9645

### 1.4. Emergency telephone number:

 131 126 (Poisons Information Centre - 24 hours / 7 days)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

methanesulphonic acid

hydrochloric acid

Signal word: Danger

Pictograms:



#### Hazard statements

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P390 Absorb spillage to prevent material damage.

#### Additional advice on labelling

The classification is based on the pH value (EC regulation No. 1272/2008).



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal 6500 0600**

Revision date: 19.04.2018

Product code: 65000600

Page 2 of 8

## 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Acid cleaning agent

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
75-75-2	methanesulphonic acid			< 5 %
	200-898-6	607-145-00-4	01-2119491166-34	
	Met. Corr. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H312 H302 H314 H318 H335			
7647-01-0	hydrochloric acid			< 10 %
	231-595-7		01-2119484862-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335			
68920-66-1	Fatty alcohol ethoxylate			< 5 %
	500-236-9			
	Skin Irrit. 2, Aquatic Chronic 2; H315 H411			
112-34-5	2-(2-butoxyethoxy)ethanol			< 5 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

#### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, perfumes (Limonene).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Take off immediately all contaminated clothing and wash it before reuse.

#### After inhalation

Provide fresh air.

#### After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Hydrogen chloride (HCl), Sulphur oxides

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal 6500 0600**

Revision date: 19.04.2018

Product code: 65000600

Page 3 of 8

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protection equipment.  
Provide adequate ventilation.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Handle and open container with care.  
Wear personal protection equipment (refer to section 8).  
Avoid contact with eyes and skin.  
When using do not eat, drink or smoke.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep only in the original container in a cool, well-ventilated place.  
Keep container tightly closed.

**Advice on storage compatibility**

Do not store together with: Alkali (lye)

**7.3. Specific end use(s)**

Please refer to our internet website for more information: [www.renfert.com](http://www.renfert.com)

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

**8.2. Exposure controls****Appropriate engineering controls**

Safe handling: see section 7

**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately.  
Wash hands before breaks and after work.  
Avoid contact with eyes and skin.  
Keep away from food, drink and animal feedingstuffs.

**Eye/face protection**

Wear eye/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.  
Suitable material: CR (polychloroprene, chloroprene rubber), Butyl caoutchouc (butyl rubber), FKM (fluoro rubber), PVC (polyvinyl chloride)  
Thickness of the glove material: 0,5 mm  
Breakthrough time: >= 8 h  
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal 6500 0600**

Revision date: 19.04.2018

Product code: 65000600

Page 4 of 8

together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

**Respiratory protection**

Provide adequate ventilation.

Respiratory protection necessary at: aerosol or mist formation

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Odour:	fruity
pH-Value (at 20 °C):	< 1

**Changes in the physical state**

Melting point:	not determined
Initial boiling point and boiling range:	100 °C
Flash point:	not applicable

**Explosive properties**

not explosive according to EU A.14

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	not determined
Decomposition temperature:	not determined
Vapour pressure: (at 20 °C)	23 hPa
Density (at 20 °C):	1,02 - 1,06 g/cm <sup>3</sup>
Water solubility:	completely miscible
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Vapour density:	not determined
Evaporation rate:	not determined

**9.2. Other information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

Violent reaction with: Alkali (lye)

Corrosive to metals

**10.4. Conditions to avoid**

No special measures are necessary.

**10.5. Incompatible materials**

Violent reaction with: Alkali (lye)

Corrosive to metals

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal      6500 0600**

Revision date: 19.04.2018

Product code: 65000600

Page 5 of 8

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
75-75-2	methanesulphonic acid					
	oral	LD50 mg/kg	648,7	Rat		OECD 401
	dermal	LD50 mg/kg	> 1000	Rabbit		OECD 402
68920-66-1	Fatty alcohol ethoxylate					
	oral	LD50 mg/kg	> 2000	Rat		OECD 401
	dermal	LD50 mg/kg	> 2000	Rabbit		OECD 402
112-34-5	2-(2-butoxyethoxy)ethanol					
	oral	LD50 mg/kg	> 2000	Mouse		OECD 401
	dermal	LD50 mg/kg	> 2000	Rabbit		OECD 402

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Further information**

The product has not been tested. The statement is derived from the properties of the single components.

**SECTION 12: Ecological information****12.1. Toxicity**

There are no data available on the mixture itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
75-75-2	methanesulphonic acid					
	Acute fish toxicity	LC50	73 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203
	Acute algae toxicity	ErC50 mg/l	7,6 - 24	96 h	Selenastrum capricornutum	OECD 201
	Acute crustacea toxicity	EC50	70 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
68920-66-1	Fatty alcohol ethoxylate					
	Acute fish toxicity	LC50 mg/l	> 1 - 10	96 h	Leuciscus idus (golden orfe)	DIN EN ISO 7346-2
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Pseudomonas putida	OECD 209
	Algae toxicity	NOEC mg/l	> 0,1 - 10			
112-34-5	2-(2-butoxyethoxy)ethanol					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Lepomis macrochirus (Bluegill) 5	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	OECD 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal 6500 0600**

Revision date: 19.04.2018

Product code: 65000600

Page 6 of 8

**12.2. Persistence and degradability**

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
75-75-2	methanesulphonic acid			
	OECD 301A	90 - 100 %	28	
	Readily biodegradable (according to OECD criteria).			
112-34-5	2-(2-butoxyethoxy)ethanol			
	OECD 301C	76 %	28	
	Readily biodegradable (according to OECD criteria).			

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No information available.

**Further information**

The product has not been tested. The statement is derived from the properties of the single components. Do not allow uncontrolled discharge of product into the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

- 14.1. UN number:** UN 3264  
**14.2. UN proper shipping name:** ÄTZENDER SAURER ANORGANISCHER FLÜSSIGER STOFF, N.A.G. (Salzsäure und Methansulfonsäure Mischung)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II

**Marine transport (IMDG)**

- 14.1. UN number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Alkylsulphonic acid and hydrochloric acid mixture)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Marine pollutant: no

**Air transport (ICAO-TI/IATA-DGR)**

- 14.1. UN number:** UN 3264  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Alkylsulphonic acid and hydrochloric acid mixture)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal 6500 0600**

Revision date: 19.04.2018

Product code: 65000600

Page 7 of 8

**14.6. Special precautions for user**

Further information: see section 6, 7, 8

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 55: 2-(2-butoxyethoxy)ethanol  
2004/42/EC (VOC): not applicable**Additional information**Labelling for contents according to regulation (EC) No 648/2004, annex 7:  
< 5% nonionic surfactants, perfumes (d-Limonen)**National regulatory information**Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).  
Water contaminating class (D): 2 - clearly water contaminating**15.2. Chemical safety assessment**

For the following substances of this mixture a chemical safety assessment has been carried out:

methanesulphonic acid  
hydrochloric acid  
2-(2-butoxyethoxy)ethanol**SECTION 16: Other information****Changes**

Abs. 13, 14, 15, 16 \* Data changed compared with the previous version

**Abbreviations and acronyms**CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LD50: lethal dose, 50%  
LC50: lethal concentration, 50%  
EC50: half maximal effective concentration  
ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Règlement concernant le transport international ferroviaire de marchandises Dangereuses (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IMDG: International Maritime Code for Dangerous Goods  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
VOC: volatile organic compound(s)**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal      6500 0600**

Revision date: 19.04.2018

Product code: 65000600

Page 8 of 8

necessarily valid for the new made-up material.  
Restricted to professional users.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*