

Safety Data Sheet according to WHS Regulations

Date of issue: 03.07.2025

Version number 1

Revision: 03.07.2025

Not classified as hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- **Other means of identification**
- **Trade name:** **IPS e.max Ceram Art Structure Gingiva soft-pink**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Stains and Glazes
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent AG
Bendererstrasse 2
9494 Schaan
PRINCIPALITY OF LIECHTENSTEIN
Tel: +423 235 35 35 / Fax: +423 235 33 60
- **Importer:**
Ivoclar Vivadent Pty. Ltd.
1- 5 Overseas Drive
Noble Park North VIC 3174
Tel: + 61 3 9795 9599 / Fax: + 61 3 9795 9645
- **Further information obtainable from:**
Regulatory Affairs
sds@ivoclar.com
- **Emergency telephone number:** 131 126 (Poisons Information Centre - 24 hours / 7 days)

2 Hazard(s) Identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonised System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation:** Mixtures
- **Description:** dental ceramic
- **Dangerous components:** Void
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

AU

(Contd. on page 2)

Safety Data Sheet according to WHS Regulations

Date of issue: 03.07.2025

Version number 1

Revision: 03.07.2025

Trade name: **IPS e.max Ceram Art Structure Gingiva soft-pink**

(Contd. of page 1)

4 First Aid Measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
No special measures required.
Only adequately trained personnel should handle this product.
For use in dentistry only.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
This product is hygroscopic.
Store in dry conditions.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Date of issue: 03.07.2025

Version number 1

Revision: 03.07.2025

Trade name: IPS e.max Ceram Art Structure Gingiva soft-pink

(Contd. of page 2)

- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Usual hygienic measures for dental practice and dental laboratories.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

9 Physical and Chemical Properties

- **General Information**
- **Appearance:**
- **Form:** Structurally viscous
- **Colour:** According to product specification
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
- **Melting point/freezing point:** Undetermined.
- **Initial boiling point and boiling range:** Undetermined.
- **Flash point:** Undetermined.
- **Flammability** Not applicable.
- **Auto-ignition temperature:** 375 °C
- **Decomposition temperature:** Not determined.
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Vapour pressure:** Not determined.
- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with**
- **water:** Partly soluble.
- **Partition coefficient: n-octanol/water:** Not determined.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Date of issue: 03.07.2025

Version number 1

Revision: 03.07.2025

Trade name: IPS e.max Ceram Art Structure Gingiva soft-pink

(Contd. of page 3)

- **Viscosity:**
- **Dynamic:** Not determined.
- **Kinematic:** Not determined.
- **Solvent content:**
- **Water:** 1.5 %

- **Other information**
- **Particle characteristics** Not applicable.
- **Physical state** Fluid

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None under normal conditions of storage and use.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
- **Specific symptoms in biological assay:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:** No further relevant information available.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Date of issue: 03.07.2025

Version number 1

Revision: 03.07.2025

Trade name: IPS e.max Ceram Art Structure Gingiva soft-pink

(Contd. of page 4)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- | | |
|---|--|
| · UN-Number | Void |
| · ADG, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · ADG, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADG, ADN, IMDG, IATA | Void |
| · Class | Void |
| · Packing group | Void |
| · ADG, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · Transport/Additional information: | Product is not classified as a dangerous good for transport (ADR, IMDG, IATA). |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Australian Inventory of Industrial Chemicals**

All ingredients are listed.

- **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void

(Contd. on page 6)

AU

Safety Data Sheet

according to WHS Regulations

Date of issue: 03.07.2025

Version number 1

Revision: 03.07.2025

Trade name: IPS e.max Ceram Art Structure Gingiva soft-pink

(Contd. of page 5)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**
The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Contact:**
- **Abbreviations and acronyms:**
 ICAO: International Civil Aviation Organisation
 IMO: International Maritime Organization
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

AU